
	<b>Tehničke karakteristike gotove robe MAŠINSKO TKANI TERIH PASTEL ED-03-00-01-026</b>	<b>Izdanje/ Версия/Edition 1 27.06.2018.</b>		<b>Strana/ Страница/ Page 1/3</b>
		<b>Revizija/ Ревизия/ Revision 1 od 06.05.2019</b>		



*društvo sa ograničenom odgovornošću  
21400 Bačka Palanka, Industrijska zona 14, Srbija*

Общество с ограниченной ответственностью  
21400 БАЧКА ПАЛАНКА, Индустриальная зона 14, СЕРБИЯ



Limited Liability Company  
21400 Backa Palanka, Industrijska zona 14, Serbia



# ED-03-00-01-026

## Tehničke karakteristike gotove robe – MAŠINSKO TKANI TERIH PASTEL



## Технические характеристики готовой продукции- Машино-тканые ковры – PASTEL

## Technical characteristics of finished products- Machine woven rug PASTEL

<b>Izradio/Создал/Created:</b>	<b>Odobrio/Утвердил/Approved by:</b>	<b>Pregledao i overio/Проверено/ Reviewed and verified by:</b>
Menadžer razvoja, istraživanja i industrijalizacije / Менеджер по развитию, исследованию и индустриализации / R&D and industrialization Manager Lešić Vesna 	Direktor razvoja, istraživanja dizajna i inovacija iz oblasti konstrukcije površine proizvoda/ Директор по развитию, исследованию, дизайну и инновациям на поверхности пола /R&D, design and floor surface innovation director Martinović Dragana 	Predstavnik rukovodstva za IMS Tarkett doo/ Представитель руководства для ИСУ Tarkett doo /Representative of the management for IMS Tarkett doo

	<b>Tehničke karakteristike gotove robe MAŠINSKO TKANI TERIH PASTEL ED-03-00-01-026</b>	<b>Izdanje/ Версия/Edition 1 27.06.2018.</b>		<b>Strana/ Страница/ Page 2/3</b>
		<b>Revizija/ Ревизия/ Revision 1 od 06.05.2019</b>		

KOMERCIJALNI NAZIV PROIZVODA/ Торговое название продукта/ Commercial product name		<b>PASTEL, PASTEL ART, PASTEL KIDS</b>			
Tehničke karakteristike / Технические характеристики/ Technical characteristics	Deklarisana vrednost/ Объявленная ценность/ Declared value	Odstupanja / Отклонения / Tolerances ISO 14215	Jednica mere/ Единица измерения/ Measurement unit	Metoda ispitivanja/ Метод испытания/ Test method	
Kvalitet / Тип качества / Quality type	Face to face, 1/2V			ISO 2424	
Broj sistema efektne osnove / Кол-во цветов / Number of chores	8		ch		
Gustina tkanja / Плотность тканья / Weave density	35 X 50		On 10 cm	ISO1763	
Broj čvorova / Количество узлов / Number of knots	175.000	± 10%	Čv./шт./No./m2	ISO 1763	
Broj tačaka / Количество точек / Number of points	350.000		Čv./шт./No./m2	ISO 1763	
Visina flora / Высота ворса / Pile height	14	± 10%	mm	ISO 2549	
Ukupna debljina poda / Общая Высота покрытия / Total thickness	15	± 10%	mm	ISO 1765	
Sirovinski sastav flora / Сырьевой состав ворса / Pile raw material	100% PP freize		%	ISO 1833	
Sirovinski sastav potke / Сырьевой состав утка / Weft raw material	100% Jute		%	ISO 1833	
Sirovinski sastav vezivne osnove / Сырьевой состав связывающей основы / Chain warp raw material	100% PES		%	ISO 1833	
Sirovinski sastav popunjavajuće osnove / Сырьевой состав пополюющей основы / Stuffer raw material	85% PES 15% Cotton		%	ISO 1833	
Vezivno sredstvo / Связывающее средство / Finishing agent for backcoating	100% Latex		%	Defined by Tarkett	
Masa flora / Вес ворса / Pile weight	1.930	± 10%	g/m2	ISO 8543	
Masa potke / Вес утка / Weft weight	400		g/m2	ISO 8543	
Masa vezivne osnove / Вес связывающей основы / Chain warp weight	85		g/m2	ISO 8543	
Masa popunjavajuće osnove / Вес пополюющей основы / Stuffer weight	60		g/m2	ISO 8543	
Masa vezivnog sredstva / Вес связывающего средства / Finishing agent for backcoating weight	220		g/m2	Defined by Tarkett	
Ukupna masa/ Общая плотность/Total weight	2.590	± 10%	g/m2	ISO 8543	

	<b>Tehničke karakteristike gotove robe MAŠINSKO TKANI TEPIH PASTEL ED-03-00-01-026</b>	<b>Izdanje/ Версия/Edition 1 27.06.2018.</b>		<b>Strana/ Страница/ Page 3/3</b>
		<b>Revizija/ Ревизия/ Revision 1 od 06.05.2019</b>		

Dozvoljeno odstupanje od deklariranih dimenzija tepiha: $\pm 3\%$ za širine i dužine do 100 cm $\pm 2\%$ za širine i dužine preko 100 cm	Dozvoljeno odstupanje od deklariranih dimenzija staza: $\pm 3\%$ za širine do 100 cm $\pm 2\%$ za širine preko 100 cm Dužine rolne staza: min 10 m Dozvoljeno odstupanje dužine staze u rolni 0.2%
--	--

Odstupanje visine flora i mase tepiha u plusu nisu ograničena.

Допустимое отклонение от заявленных размеров ковров: $\pm 3\%$ за ширины и длины до 100 см $\pm 2\%$ за ширины и длины выше 100 см	Допустимое отклонение от заявленных размеров дорожек: $\pm 3\%$ за ширины до 100 см $\pm 2\%$ за ширины выше 100 см Длина рулона дорожки: мин. 10 м Допустимое отклонение длины дорожки в рулоне 0,2%
--	---

Отклонение высоты ворса и массы ковров в плюсе не ограничены

Tolerance in defined rug size: $\pm 3\%$ for rugs widths and lengths by 100 cm $\pm 2\%$ for rugs widths and lengths over 100 cm	Tolerance in defined runner size: $\pm 3\%$ for runners width by 100cm $\pm 2\%$ for runners width over 100cm Length of the runner roll: min 10 m Tolerance allowed in the length of the runner roll: 0.2 %
--	---

Tolerance in pile height and carpet mass in plus is not limited.

